### ONLINE AUCTION SALE - DUE TO (Er THE RETIREMENT OF THE DIRECTORS (170685)

(Ends: 2021-06-24 13:00:00.0)

On instructions received due to the retirement of the Directors

### **ONLINE AUCTIONS SALE - FERRARI ELECTROPLATING LTD**

Description

To include:

### <u>GRINDING</u>

**CHURCHILL** Cylindrical Grinder 32" swing x 240" Between Centres. **CHURCHILL** Cylindrical Grinder 16" swing x 144" Between Centres. **CHURCHILL** Internal Grinder 18" swing x 36" long internal attachment. **SCHOU** Crankshaft Grinding Machine 2500mm Between Centres. **NEWALL** Cylindrical Grinder 16" swing x 84" Between Centres.

### LATHES

**LANG** Flatbed Lathe fitted with GEM Polishing Attachment 30" swing x 270" Between Centres. **EXCEL** XL40 Gap Bed Centre Lathe 40" swing over bed. 29" swing over cross slide. 196" Between Centres. **EXCEL** XL32 Gap Bed Centre Lathe 32" swing over bed 21" swing over cross slide. 120" Between Centres.

### **OTHER ITEMS**

PARKSON 3V Vertical Milling Machine. HODGE CLEMCO Portable Shotblasting Machine. Shotblast Room 119" x 79" x 79" high with DCE Extraction System. FLUIDAIR L22 Screw Compressor. FLUIDAIR L07 Screw Compressor. FLUIDAIR F39HS Dryer. ABBOTT & Co Air 500 litres Capacity Air Receiver. WHITEHEAD STJ 6" Horizontal Belt Linisher. POLLARD 130A Pedestal Drill. Manual Shear. Wooden Bench with Record Quick Release Vice.
WINDLEY Cast Iron Table 60" x 36" x 33" high. Granite Slab 36" x 24" x 4" thick. Several Electroplating Tank Heaters from 3kW to 12 kW. MORRIS 500kgs Electric Hoist. 2 x Matching Balancing Stands. Horizontal Powered Press for Swarf Compaction. Vertical Linishing Machine with 2" Wide Belt. Qty of Taper Shank Twist Drills. TOYOTA Model 7FBMF30 3 Ton Electric Fork Lift Truck with Charger. Quantity of Inspection Equipment.Many more items.

#### Lot no.

1

2



### CHURCHILL Internal Grinder 18" Swing X 36" Long Internal Attachment

Fitted with 20" dia 4 jaw chuck.Wheel Dresser.3 Point Steady.Internal Attachment



### CHURCHILL Cylindrical Grinder 16" Swing X 144" Between Centres With Newall B60 DRO.

Swing over bed 144".Distance between centres 144".Newall B60 Digital readout.Coolant tank.3 steadies (1 incomplete). Wheelhead speed 970 rpm. Max dia.of wheel 30". Faceplate dia.16". Serial No .32317. Overall sizes 362" x 82" x 74" high

#### Description

Lot no.

3

4

5

6

8



#### LANG Heavy Duty Flatbed Lathe Fitted With GEM Polishing Attachment

Swing over bed 32". Distance between centres 272".Fitted with 30" dia. 4 jaw chuck.Spindle bore 3". Fitted with GEM Polishing Attachment. Overall sizes 400" long x 82" wide x 80" high.



### CHURCHILL Cylindrical Grinder 32" Swing X 240" Between Centres With Newall DP700 DRO.

Swing over bed 32" (Centres having been raised) . Distance between Centres 240". Faceplate dia.17". Maximum wheel dia.26" x 3" wide.Wheelhead speed 955/1000 rpm.4 x Steadies. Newall DP700 Digital Readout. Overall sizes 564" x 95" x 80" high.



### EXCEL XL 40 Gap Bed Lathe 40" Swing X 197" Between Centres

Swing over bed 40".Swing over cross slide 29". Distance between centres 196".Spindle speeds 8-1000 rpm.Spindle bore 4".4 way toolpost.Rapid traverse to saddle.2 x 3 point steadies 10" capacity.1 x 3 point steady 20" capacity (incomplete screws only no barrels). 3 x 3 point steadies.16" dia. 4 jaw chuck. ...



### EXCEL XL32 Gap Bed Lathe 32" Swing X 120" Between Centres With Newall DP700 DRO.

Swing over bed 32".Swing over cross slide 21". Distance between centres 120".Spindle speeds 8-1000 rpm.Spindle bore 4". 4 way toolpost.Rapid traverse to saddle. Newall DP700 Digital Readout. 3 point steady 10" capacity. 3 point steady 9" capacity. 3 point steady 20" capacity (incomple No screws or barrels).16" ...



### SCHOU Crankshaft Grinder 96" Between Centres

Faceplate diameters 18". Fitted with 10" dia. Adjustable 3 jaw chucks. Weight compensation. Wheel dresser. Grinding wheel dia. 32". Maximum distance between faceplates 96". 3 steadies.Coolant Tank.

### **PARKSON 3V Vertical Milling Machine**

Table size 70" x 16.1/2".Spindle taper 50Int.Spindle speeds (Low) 17-440 rpm. (High) 38-1000 rpm. Feeds 1/2" - 35"/rev. 8.1/2" Machine Vice. Swivel Head. Serial No.GG582. Overall dimensions 93" wide x 84" deep x 92" high

#### Description

Lot no.

9

10



### NEWALL Cylindrical Grinder 16" Swing X 84" Between Centres

Swing over bed 16".Distance between centres 80".Plunge facility.Reciprocating/End face facility on wheelhead.Coolant/ Clarifier.Diamond dresser.2 x 2 point steadies. Serial No.GR8417



### TOYOTA Electric Forklift Rated Capacity 3000kg with YALE Charger. Year 2007

Model 7FBMF30. Complete with Forks 1000mm long. Side shift



### HORIZONTAL Scrap Compactor Screw Driven



### POLLARD 130A Pedestal Drill

Table size 13" x 15". Speeds 113-1460 rpm. Manual feed. Rise and fall table.5" machine vice



### A.WHITEHEAD Model STJ Horizontal Linisher With Spare Belts

150mm wide belts. Serial No.53512



### **MANUAL Guillotine Shear**

8.1/2" Depth of cut





FLUIDAIR L22 Screw Compressor. Year 2010

7.5 bar.

Lot no.		Description
16		FLUIDAIR L07 Screw Compressor. Year 2014 7.5 bar.
17		FLUIDAIR F39HS Dryer. Year 2013 Serial No.398425090001
18		ABBOT & CO Air Reciever Tank Maximum 11 bar. 500 litre capacity
19		HODGE Clemco Abrasive Blasting Machine With Accessories Model no 1446. Serial no 8514. Design pressure 8.7 bar. Year 2012
20	THE OWNER	WINDLEY BROS Marking out Table 60" x 36" x 33.1/2" high
21		GRANITE Surface Block 36" x 24" x 48" high
22		STEEL Framed Workbench With Record Vice 60" x 48" x 32" high

Lot no.		Description
23		WESTINGHOUSE Transformer Rectifer Type SDB12/750 12 Volts. 750 Amps
24		DUST Control Equipment Dust/Filter Extractor Model UMA .154G3 (Ducting Not Included) Serial no 123.312
25		PIGEON Hole Cabinet & Contents Taps. Taper Drills. Reamers. Centres
26		BENCH Grinder On Stand 8" dia. Wheels
27		VERTICAL Belt Sander 2" wide belts. c/w 5 x spare belts.
28		BRIGGS & Stratton Quantum Xtl Clean Power 60 Pressure Washer Model 1BSXS.1901UF
29	- And	PRATT Type 57 4 Jaw Chuck 405mm Dia.

Lot no.		Description
30		PRATT Type 57 4 Jaw Chuck 405mm Dia.
31		4 Jaw Chuck 200mm Dia.
32	COLORADO A	4 Jaw Chuck 200mm Dia.
33		CEBORA Autostar 200 Mig Welder 230V
34		NOVA 2000 Acoustic Hood & Air Dryer
35		MAHR M1 Pertometer
36	/ East	TAYLOR-Hobson Pertometer

Lot no.		Description
37	ST OF	MAKITA Belt Sander With Spare Belts
38		MAC Allister 900W Hammer Drill
39	Contraction of the second	MORRIS 500KG Crane Hoist
40		QUANTITY Of Tap & Die Wrenches
41		600mm - 700mm Outside Micrometer
42		MITUTOYO 400mm-500mm Outside Micrometer
43		MITUTOYO 700mm-800mm Outside Micrometer

Lot no.	Description
44	MITUTOYO 32"-36" Outside Micrometer
45	MITUTOYO 12"-16" Outside Micrometer
46	MITUTOYO 8"-12" Outside Micrometer
47	MITUTOYO 20"-24" Outside Micrometer
48	MOORE & Wright 16"-20" Outside Micrometer
49	MOORE & Wright 12"-16" Outside Micrometer
50	MITUTOYO 8"-12" Outside Micrometer

Lot no.		Description
51		SPI 1"-2" Blade Micrometer
52		SPI 2"-3" Blade Micrometer
53		SPI 3"-4" Blade Micrometer
54		QUANTITY Of Various Size Outside Micrometers
55		MITUTOYO 8"-12" Outside Micrometer
56		QUANTITY Of Various Size Outside Micrometers
57	SZ	QUANTITY OF Various Size Outside Micrometers



Lot no.		Description
58	58	QUANTITY Of Various Size Outside Micrometers
59		QUANTITY Of Various Size Outside Micrometers
60		MITUTOYO 8"-12" Outside Micrometer
61		QUANTITY Of Various Size Outside Micrometers
62	62	MITUTOYO 4"-8" Outside Micrometer
63	63	MOORE & Wright 100mm-125mm Outside Micrometer
64	GT	MITUTOYO 4"-8" Outside Micrometer

Lot no.		Description
65	65	MOORE & Wright 4"-5" Outside Micrometer
66	7 <b>9</b> 66	MOORE & Wight 100mm-125mm Outside Micrometer
67	67	MOORE & Wright 25mm-50mm & 50mm-75mm Outside Micrometers
68	68	MOORE & Wright 50mm-75mm & 2"-3" Outside Micrometers
69		QUANTITY Of Various Size Outside Micrometers
70	The second secon	QUANTITY Of Various Micrometers
71		QUANTITY Of Various Inside Micrometers

Lot no.		Description
72		MATRIX Slip Gauge Assembly Set
73		MATRIX Slip Gauge Assembly Set
74		INSIDE Micrometer Set
75	75	MOORE & Wright Depth Micrometer Set
76	76	QUANTITY Of Vernier Gauges
77	77	CYLINDER Gauge Set
78	78	QUANTIY Of Dial Guages

Lot no.		Description
79	79	MOORE & Wright Compound Slide
80	80	ECLIPSE Magnetic Blocks
81		ECLIPSE 5" X 2.1/2" Magnetic Chuck
82	82	BRIDGEPORT R8 Boring Attachment
83		2 x Outside Micrometers
84		TAPPING Attachment
85		MERCER Lever Dial Test Indicator

Lot no.		Description
86	86	LIVE Centre With Attachment
87	87	QUANTITY Of Bore Gauges
88		5 MORSE Rohm Revolving Centre
89	89	5 MORSE Rohm Revolving Centre
90		5 MORSE Rohm Revolving Centre
91		5 MORSE Rohm Revolving Centre
92	THE REAL PROPERTY AND A DECIMAL PROPERTY AND	5 MORSE Rohm Revolving Centre

Lot no.		Description
93	13	5 MORSE Rohm Revolving Cone Centre
94	94	5 MORSE Rohm Revolving Cone Centre
95	75	4 MORSE Rohm Revolving Cone Centre
96	96	5 MORSE Rohm Revolving Cone Centre
97		QUANTITY Of Collers & Dog Drivers
98	18	Quantity of HSS Taps
99		LOWARA Water Pump

Lot no.		Description
100		LOWARA Water Pump
101		400V 12KW Emergen Tank Heater
102		400V 12KW Emergen Tank Heater
103		400V 12KW Emergen Tank Heater
104	MGS .	400V 12KW Emergen Tank Heater
105		400V 6KW Emergen Tank Heater
106	P	400V 4.5KW Emergen Tank Heater

Lot no.		Description
107		400V 4.5KW Emergen Tank Heater
108		400V 6KW Emergen Tank Heater
109	Carlo Carlo	400V 4.5KW Emergen Tank Heater
110	No.	230V 3KW Emergen Heater
111		400V 12KW Emergen Tank Heater
112		VARIOUS S.W.L Stainless Steel Lifting Cables
113		QUANTITY Of 2000KG X 2.5M Lifting Slings

Lot no.		Description
114		LIFTING Hook 5000KG S.W.L
115	UPP	HEAVY Duty Lifting Hooks (unknown s.w.l)
116		LIFTING hook 5000KG & 2 leg Chains (unknown S.W.L)
117	on op .	HEAVY Duty Lifting Chains (unknown S.W.L)
118	(B)	HEAVY Duty Lifting Chains (unknown S.W.L)
119		2 x Tins Regatta blue paint
120	200 200 100 120 120	3 x Tins Safety Yellow Paint

Lot no.		Description
121	121	6000A 50MV Electrical Shunt
122	122	6000A 50MV Electrical Shunt
123	123	3800A 50MV Electrical Shunt
124	124	1750A 50MV Electrical Shunt
125	125	2400A 50MV Electrical Shunt
126	No.	STEEL Trolley
127		STEEL Trolley

Lot no.		Description
128		NUMATIC Industrial Hoover
129	ET	2 X Boxes of 48mm x 150m Brown Tape
130	100 A	QUANTITY Of Clear Shrink wrap
131		QUANTITY Of XL Disposible Overalls (Approx 20+ Sets)
132	T	QUANTITY Of Power Tools 2 X Angle Grinder & 1 X Belt Sander
133		HEAT Treatment Oven Temps Up 400 Degree
134		QUANTITY Of Lifting Attachments (Unknown S.W.L)



### Lot

Description

no.

135



### **TRANSFORMER Rectifer Output 40A/16V DC**

136



2 x Bottle Screw Jacks